



## PRODUCT CHART









Effective: June 2025



Source COLLECTION													
		SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)	BALANCE (BA)		SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)				
		RED OAK			WHITE ASH		WHITE OAK						
Platforms and dimensions		Grades	Glosses		Grades	Glosses		Grades	Glosses				
SOLID	3 1/4" (3/4")	DS	M	I	DS	M	I	AT	M	I			
	4 1/4" (3/4")	DS	M	I	DS	M	I	AT	M	I			
ENGINEERED	5" (1/2")	DS	M	I	DS	M	I	AT	M	I			
	5" (3/4")	DS	M	I	DS	M	I	AT	M	I			
	6 1/2" (1/2")	AT	M	I	AT	M	I	AT	M	I			
	6 3/2" (3/4")	AT	M	I	AT	M	I	AT	M	I			
	7 3/2" (3/4")	SB	M	I				AT	M	I			
HERRINGBONE	5" x 18" (1/2")	DS	M	I				DS		M	I		

<div><div></div><div>Design+</div><div>COLLECTION</div></div>		RED OAK																
		HARD MAPLE																
		MIST (29)	IVOOR (28)	MADERA (MD)	SHADOW (17)	TREASURE (30)	STONE (21)	TOAST BROWN (09)	CRÈME BRÛLÉE (25)	AMARETTO (15)	GUNSTOCK (12)	JAVA (14)	AUTUMN LEAF (24)	ARABICA (02)	BARREL (27)	MEDIUM BROWN (07)	MYSTIC BROWN (20)	
		RED OAK								HARD MAPLE								
Platforms and dimensions		Grades				Glosses				Grades				Glosses				
SOLID	3 ¾" (¾")	SB DS				S M B I				SB DS				S M I				
	4 ¾" (¾")	SB DS				S M B I				SB DS				S M I				
ENGINEERED	5" (½")	SB DS				S M B I				SB DS				S M I				
	5" (¾")	SB DS				S M B I				SB DS				S M I				
	6 ½" (½")	AT				S M B I				AT				S M I				
	6 ½" (¾")	AT				S M B I				AT				S M I				
	7 ½" (¾")	SB				S M B I				DS				S M I				
HERRINGBONE	5" x 18" (½")	DS				S M B I				DS				S M I				

Elegancia COLLECTION											
		SUEDE (SU)		PALOMINO (PO)		MORILLE (GL)		ENGLISH TEA (ET)		FUEGO (FU)	
		YELLOW BIRCH									
Platforms and dimensions		Grade		Gloss		Grade		Glosses			
SOLID	3 3/4" (3/4")	DS		M		DS		S M			
	4 1/4" (3/4")	DS		M		DS		S M			
ENGINEERED	5" (1/2")										
	5" (3/4")										
	6 1/2" (1/2")										
	6 1/2" (3/4")										
	7 1/2" (3/4")										
HERRINGBONE	5" x 18" (1/2")										

 <b>Herringbone</b> COLLECTION						
	HARD MAPLE		RED OAK		WHITE OAK	
Boards dimensions	Refer to the Herringbone sections shown on the collections below for available colors, finishes and glosses:					
5" x 18" (1½')	 <b>Origins</b> COLLECTION	 <b>Source</b> COLLECTION	 <b>Atmosphere</b> COLLECTION	 <b>Naked</b> COLLECTION	 <b>Design+</b> COLLECTION	 <b>Element</b> COLLECTION
Platform suitable only for a Herringbone pattern installation						

# THE Original PREFINISHED WOOD FLOORING

Proudly made in North America



## Solid or Engineered: Take your pick!




	SOLID (SOLID WOOD)	ENGINEERED (ENGINEERED WOOD)
<b>NATURE OF MATERIAL</b>	100% HARDWOOD	TOP LAYER: HARDWOOD BASE: PLYWOOD
<b>SPECIAL FEATURES OF MATERIAL</b>	100% SOLID WOOD NATURAL CHARM	UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES
<b>TYPES OF INSTALLATIONS</b>	NAILED AND STAPLED	NAILED, GLUED, STAPLED*, AND FLOATING**
<b>INSTALLATION IN THE BASEMENT OR ON CONCRETE</b>	NOT RECOMMENDED	POSSIBLE
<b>SANDING</b>	YES: FROM 3 TO 5 TIMES	YES: FROM 3 TO 5 TIMES
<b>SPECIES</b>	HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH	AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK
<b>GRADE (ACCORDING TO THE SPECIES)</b>	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC, R&Q
<b>THICKNESS AND WIDTH (ACCORDING TO THE SPECIES)</b>	2 1/4" (57 MM) X 3/4" (19 MM) 3 1/4" (83 MM) X 3/4" (19 MM) 4 1/4" (108 MM) X 3/4" (19 MM)	5" (127 MM) X 1/2" (12.7 MM) 5" (127 MM) X 3/4" (19 MM) 6 1/2" (165 MM) X 1/2" (12.7 MM) 6 1/2" (165 MM) X 3/4" (19 MM) 7 1/2" (190.5 MM) X 1/2" (12.7 MM) 7 1/2" (190.5 MM) X 3/4" (19 MM)
<b>LENGTH</b>	RANDOM	RANDOM
<b>HERRINGBONE AVAILABILITY</b> (Suitable for a Herringbone pattern installation only)	NOT AVAILABLE	5" (127 MM) X 1/2" (12.7 MM) FIXED LENGTHS: 18" (45.7 CM) HARD MAPLE RED OAK WHITE OAK

### MOLDINGS (Availability may vary according to species)


#### T-MOLDINGS, QUARTER ROUNDS, THRESHOLDS

SUITABLE FOR SOLID AND ENGINEERED 1/2" & 3/4"




#### REDUCERS

SUITABLE FOR SOLID AND ENGINEERED 3/4"




SUITABLE FOR ENGINEERED 1/2"




#### STAIR NOSINGS

SUITABLE FOR SOLID AND ENGINEERED 3/4"

Round nosing




Square nosing




SUITABLE FOR ENGINEERED 1/2"

Round nosing



Square nosing



\* REFER TO TECHNICAL BULLETIN # 9

\*\* EXCLUSIONS APPLY. REFER TO THE ENGINEERED INSTALLATION GUIDE.

# The most complete finishes, offering unmatched protection



## MERCIER GENERATIONS+

Our standard high-performance protection. The new Mercier Generations+ incorporates densified biopolymers that minimize surface scratches and the adherence of dirt, marks and stains. It delivers enhanced protection while simplifying maintenance. With unmatched clarity and smoothness, it highlights the full, natural beauty of the wood for an ultra-polished look.



## GENERATIONS INTACT 2500\*

A tough, clear finish formulated for ultimate protection. The Generations Intact 2500 finish has an outstanding track record for durability in commercial-grade applications and high-traffic environments. This exceptionally durable and clear matte finish keeps floors looking great through years of wear and tear. Great for young families and pet owners.

## Generations of ingenuity and performance

FEATURES	MERCIER GENERATIONS+	GENERATIONS INTACT 2500
<b>DURABILITY</b>	<b>Enhanced resistance to surface scratches</b> 10X more resistant than previous Generations finish.	<b>Superior resistance to wear and tear</b> Microfragmented aluminum particles create a multipoint contact surface that provides increased scratch through resistance and retains the floor's original luster for longer.
<b>DEGREE OF RESISTANCE</b> The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish.	<b>1,000 cycles</b> Compared to 500 cycles from the competition.	<b>2,500 cycles</b> Compared to 1,500 cycles from the competition.
<b>STAIN RESISTANCE</b>	<b>Stain resistant</b>	<b>Superior stain resistance</b>
<b>CLEANLINESS AND MAINTENANCE</b>	<b>Reduces the adherence of dirt, residues and smudges, making the surface easier to clean.</b>	<b>Reduces the adherence of dirt, residues and smudges, making the surface easier to clean.</b>
<b>ANTI-PERFORATION</b>	<b>Perforation-resistant</b>	<b>Anti-perforation</b>
<b>FLEXIBILITY</b>	<b>Flexible</b>	<b>Highly flexible</b>
<b>WATER RESISTANCE</b>	<b>Water resistant</b>	<b>Repels water</b> The molecule adhesion between the finish and the surface of the wood creates a barrier that repels water and other liquids in the event of spills. This permanent bond prevents the finish from peeling.
<b>ANTIMICROBIAL TREATMENT</b> The antimicrobial contained in our finishes helps reduce the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for healthier floors.	●	●
<b>NON-YELLOWING</b> Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it: <ul style="list-style-type: none"> <li>• A UV screen against yellowing of the finish when exposed to natural or artificial lighting</li> <li>• A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs</li> </ul>	●	●
<b>HYPOALLERGENIC</b>	●	●
<b>GREENGUARD GOLD CERTIFIED</b>	●	●
<b>CONTAINS PLANT-BASED OIL</b>	●	●
<b>WARRANTY</b> Quite simply the best warranties in the industry	<b>35 years</b> for residential applications <b>5 years</b> for light commercial applications <b>20 years</b> for residential applications, PRO Collection	<b>50 years</b> for residential applications <b>3 years</b> for commercial applications with direct outdoor access <b>10 years</b> for light commercial applications



Mercier Generations+ and Generations Intact 2500 finishes meet the Greenguard Gold environmental certification standards. They are free from harmful chemical substances, emit no VOC emissions that are dangerous to human health, and help reduce the propagation of bacterial, germs and molds to keep any environment healthy.

\*Minimum quantities and upcharges apply. Please refer to the current Mercier Price List for more details.

# Packaging features

		BOXES				
Board width		Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	20 sq. ft.	9 ¼"	84"	3 ¼"	57 lb
	3 ¼" (¾")	22 sq. ft.	10"	87"	3 ¼"	60 lb
	4 ¼" (¾")	19 sq. ft.	9 ¼"	84"	3 ¼"	55 lb
ENGINEERED	5" (½")	33 sq. ft.	10"	87"	3 ¼"	62 lb
	5" (¾")	22 sq. ft.	10"	87"	3 ¼"	62 ½ lb
	6 ½" (½")	33 sq. ft.	6 ¾"	88"	4 ½"	66 lb
	6 ½" (¾")	22 sq. ft.	6 ¾"	88"	4 ½"	64 lb
	7 ½" (½") Stellar Collection	35.16 sq. ft.	8 ¼"	79"	5"	59 lb
	7 ½" (¾") Stellar Collection	23.44 sq. ft.	8 ¼"	79"	5"	59 lb
	7 ½" (¾")*	22.2 sq. ft.	8 ¼"	79"	5"	65 lb
HERRINGBONE	5" x 18" (½")	25 sq. ft.	10"	87"	3 ¼"	47 lb

		PALLETS					
Board width		Number of boxes	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	40	800 sq. ft.	38"	84"	36"	2,200 to 2,500 lb
	3 ¼" (¾")	40	880 sq. ft.	42"	87"	36"	2,200 to 3,000 lb
	4 ¼" (¾")	40	760 sq. ft.	38"	84"	36"	2,200 to 2,500 lb
ENGINEERED	5" (½")	40	1,320 sq. ft.	42"	87"	36"	2,700 to 3,000 lb
	5" (¾")	40	880 sq. ft.	42"	87"	36"	2,700 to 3,000 lb
	6 ½" (½")	42	1,386 sq. ft.	42"	88"	37"	2,400 to 2,800 lb
	6 ½" (¾")	42	924 sq. ft.	42"	88"	37"	2,500 to 2,700 lb
	7 ½" (½") Stellar Collection	35	1,230.6 sq. ft.	42"	79"	38"	2,000 to 2,100 lb
	7 ½" (¾") Stellar Collection	35	820.4 sq. ft.	42"	79"	38"	2,000 to 2,100 lb
	7 ½" (¾")*	35	777 sq. ft.	42"	79"	38"	2,200 to 2,400 lb
HERRINGBONE	5" x 18" (½")	40	1,000 sq. ft.	42"	87"	36"	1,900 to 2,500 lb

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.



**MERCIER®**

The original prefinished wood flooring

*The wood colors shown in this document are for illustrative purposes only, as they could differ from their actual appearance. It is therefore important to always validate your choice with in-store samples.*

1-866-448-1785 | [mercierwoodflooring.com](http://mercierwoodflooring.com)