



PRODUCT CHART

Effective: January 2023



THE Original PREFINISHED WOOD FLOORING

Proudly made in North America



Solid or Engineered: Take your pick!




SOLID (SOLID WOOD)

ENGINEERED (ENGINEERED WOOD)

NATURE OF MATERIAL	100% HARDWOOD	TOP LAYER: HARDWOOD, 4MM THICK BASE: HARDWOOD PLYWOOD
SPECIAL FEATURES OF MATERIAL	100% SOLID WOOD NATURAL CHARM	UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES
TYPES OF INSTALLATIONS	NAILED AND STAPLED	NAILED, GLUED, STAPLED*, AND FLOATING
INSTALLATION IN THE BASEMENT OR ON CONCRETE	NOT RECOMMENDED	POSSIBLE
SANDING	YES: FROM 3 TO 5 TIMES	YES: FROM 3 TO 5 TIMES
SPECIES	HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH	AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK
GRADE (ACCORDING TO THE SPECIES)	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC	SELECT & BETTER, DISTINCTION, AUTHENTIC, R&Q
THICKNESS AND WIDTH (ACCORDING TO THE SPECIES)	2 1/4" (57 MM) X 3/4" (19 MM) 3 1/4" (83 MM) X 3/4" (19 MM) 4 1/4" (108 MM) X 3/4" (19 MM)	5" (127 MM) X 1/2" (12,7 MM) 5" (127 MM) X 3/4" (19 MM) 6 1/2" (165 MM) X 1/2" (12,7 MM) 6 1/2" (165 MM) X 3/4" (19 MM) 8 1/8" (206 MM) X 3/4" (19 MM)
LENGTH	RANDOM	RANDOM
HERRINGBONE AVAILABILITY (Suitable for a Herringbone pattern installation only)	NOT AVAILABLE	5" (127 MM) X 1/2" (12,7 MM) FIXED LENGTHS: 18" (45,7 CM) HARD MAPLE RED OAK WHITE OAK

MOLDINGS


T-MOLDINGS, QUARTER ROUNDS, THRESHOLDS
SUITABLE FOR SOLID AND ENGINEERED 1/2" & 3/4"



REDUCERS
SUITABLE FOR SOLID
AND ENGINEERED 3/4"




SUITABLE FOR
ENGINEERED 1/2"




STAIR NOSINGS
SUITABLE FOR SOLID AND ENGINEERED 3/4"

Round nosing




Square nosing




SUITABLE FOR ENGINEERED 1/2"

Round nosing



Square nosing



* REFER TO TECHNICAL BULLETIN # 9



2023 Product Chart

LEGEND

Grades:

- SB Select & Better
- DS Distinction
- AT Authentic
- RQ Rift & Quarter Sawn
- PRO PRO

Finishes and glosses:

S Satin

M Matte

B Matte-brushed

P PRO

PB PRO-brushed



Mercier Generations finish



Generations Intact 2500 finish

Origins COLLECTION		RED OAK		HARD MAPLE		YELLOW BIRCH		WHITE ASH		HICKORY		WHITE OAK		AMERICAN WALNUT	
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses	Grade	Glosses
SOLID	2 ¼" (¾")	SB DS	S M B I	SB DS	S M I	DS	S M	DS	S M B I	AT	S M I	AT	S M B I		
	3 ¼" (¾")	SB DS	S M B I	SB DS	S M I	DS	S M	DS	S M B I	AT	S M I	AT	S M B I		
	4 ¼" (¾")	SB DS	S M B I	SB DS	S M I	DS	S M	DS	S M B I	AT	S M I	AT	S M B I		
ENGINEERED	5" (½")	SB DS	S M B I	SB DS	S M I			DS	S M B I	AT	S M I	AT	S M B I		
	5" (¾")	SB DS	S M B I	SB DS	S M I			DS	S M B I	AT	S M I	AT	S M B I		
	6 ½" (½")	AT	S M B I	AT	S M I			AT	S M B I	AT	S M I	AT RQ	S M B I	AT	S M
	6 ½" (¾")	AT	S M B I	AT	S M I			AT	S M B I	AT	S M I	AT RQ	S M B I	AT	S M
	8 ½" (¾")	AT	S M B I	AT	S M I							AT	S M B I		
HERRINGBONE	5" x 18" (½")	DS	S M B I	DS	S M I							DS	S M B I		

Source COLLECTION		SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)	BALANCE (BA)	SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Glosses
SOLID	3 ¼" (¾")	DS	M I	DS	M I	AT	M I	M I
	4 ¼" (¾")	DS	M I	DS	M I	AT	M I	M I
	5" (½")	DS	M I	DS	M I	AT	M I	M I
ENGINEERED	5" (¾")	DS	M I	DS	M I	AT	M I	M I
	6 ½" (½")	AT	M I	AT	M I	AT	M I	M I
	6 ½" (¾")	AT	M I	AT	M I	AT	M I	M I
	8 ½" (¾")	AT	M I			AT	M I	M I
	5" x 18" (½")	DS	M I			DS	M I	M I

Naked COLLECTION		NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grade	Glosses
SOLID	3 ¼" (¾")	DS	M B I	DS	M I	AT	M I
	4 ¼" (¾")	DS	M B I	DS	M I	AT	M I
	5" (½")	DS	M B I	DS	M I	AT	M I
ENGINEERED	5" (¾")	DS	M B I	DS	M I	AT	M I
	6 ½" (½")	AT	M B I	AT	M I	AT	M I
	6 ½" (¾")	AT	M B I	AT	M I	AT	M I
	8 ½" (¾")			AT	M I		
	5" x 18" (½")			DS	M I		


Atmosphere COLLECTION		HAZE (HZ)	BREEZE (BE)	HUSH (HH)	HAZE (HZ)	HALO (HL)	BLISS (BI)	BREEZE (BE)	HAZE (HZ)	BREEZE (BE)	HUSH (HH)	HUSH (HH)	CHARM (C4)	SILK (SK)	WHISPER (WP)	BREEZE (BE)	GLEAM (GL)	SILK (SK)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Glosses
SOLID	3 ¼" (¾")	DS	M I	DS	M B I	AT	M I	AT	M B I	DS	M B I	AT	M B I	DS	M B I	DS	M B I	M B I
	4 ¼" (¾")	DS	M I	DS	M B I	AT	M I	AT	M B I	DS	M B I	AT	M B I	DS	M B I	DS	M B I	M B I
	5" (½")	DS	M I	DS	M B I	AT	M I	AT	M B I	DS	M B I	AT	M B I	DS	M B I	DS	M B I	M B I
ENGINEERED	5" (¾")	DS	M I	DS	M B I	AT	M I	AT	M B I	DS	M B I	AT	M B I	DS	M B I	DS	M B I	M B I
	6 ½" (½")	AT	M I	AT	M B I	AT	M I	AT	M B I	AT	M B I	AT	M B I	AT	M B I	AT	M B I	M B I
	6 ½" (¾")	AT	M I	AT	M B I	AT	M I	AT	M B I	AT	M B I	AT	M B I	AT	M B I	AT	M B I	M B I
	8 ½" (¾")	AT	M I	AT	M B I			AT	M B I			AT	M B I			AT	M B I	M B I
	5" x 18" (½")	DS	M I	DS	M B I			DS	M B I			DS	M B I			DS	M B I	M B I

Element COLLECTION		ELEMENT (EL)	TERRAIN (TR)	ELEMENT (EL)	ELEMENT (EL)
Platforms and dimensions		Grades	Gloss	Grades	Gloss
SOLID	3 ¼" (¾")	DS	M	AT	M
	4 ¼" (¾")	DS	M	AT	M
	5" (½")	DS	M	AT	M
ENGINEERED	5" (¾")	DS	M	AT	M
	6 ½" (½")	AT	M	AT	M
	6 ½" (¾")	AT	M	AT	M
	8 ½" (¾")	AT	M	AT	M
	5" x 18" (½")	DS	M	DS	M

Design+ COLLECTION		MIST (Z9)	IVDOOR (Z8)	MADERA (MD)	SHADOW (T7)	TREASURE (Z0)	STONE (Z1)	SMOXY BROWN (Z6)	TOAST BROWN (09)	CRÈME BRÛLÉE (Z5)	AMARETTO (15)	GUNSTOCK (12)	JAVA (14)	AUTOMN LEAF (24)	ARABICA (02)	BARREL (27)	MEDIUM BROWN (07)	CHOCOLATE BROWN (18)	MYSTIC BROWN (20)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses
SOLID	3 ¼" (¾")		SB DS		S M B I		S M B I		SB DS		S M B I		SB DS		S M I		S M I		S M I
	4 ¼" (¾")		SB DS		S M B I		S M B I		SB DS		S M B I		SB DS		S M I		S M I		S M I
	5" (½")		SB DS		S M B I		S M B I		SB DS		S M B I		SB DS		S M I		S M I		S M I
ENGINEERED	5" (¾")		SB DS		S M B I		S M B I		SB DS		S M B I		SB DS		S M I		S M I		S M I
	6 ½" (½")		AT		S M B I		S M B I		AT		S M B I		AT		S M I		S M I		S M I
	6 ½" (¾")		AT		S M B I		S M B I		AT		S M B I		AT		S M I		S M I		S M I
	8 ½" (¾")		AT		S M B I		S M B I		AT		S M B I		AT		S M I		S M I		S M I
	5" x 18" (½")		DS		S M B I		S M B I		DS		S M B I		DS		S M I		S M I		S M I

<div>Elegancia</div> <div>COLLECTION</div>																	
		SILVER GREY (SY)	ENGLISH TEA (ET)	SANDSTONE (SD)	CREMA (CM)	MADERA (MD)	FJORD (FO)	FUEGO (FU)	FUEGO (FU)	ROMA (RA)	SUEDE (SU)	PALOMINO (PD)	BROOKLINE (86)	ENGLISH TEA (ET)	FUEGO (FU)	ACORN BROWN (82)	MODERN GREY (MG)
Platforms and dimensions		WHITE ASH		WHITE OAK				HICKORY		YELLOW BIRCH		YELLOW BIRCH					
		Grades	Glosses	Grades	Glosses		Grade	Glosses	Grade	Gloss	Grade	Glosses					
SOLID	3 ¼" (¾")	DS	S M B I	AT	S M B I		AT	S M I	DS	M	DS	S M					
	4 ¼" (¾")	DS	S M B I	AT	S M B I		AT	S M I	DS	M	DS	S M					
ENGINEERED	5" (½")	DS	S M B I	AT	S M B I		AT	S M I									
	5" (¾")	DS	S M B I	AT	S M B I		AT	S M I									
	6 ½" (½")	AT	S M B I	AT	S M B I		AT	S M I									
	6 ½" (¾")	AT	S M B I	AT	S M B I		AT	S M I									
	8 ½" (¾")			AT	S M B I												
HERRINGBONE	5" x 18" (½")			DS	S M B I												

<div>PRO</div> <div>COLLECTION</div>									
		NATURAL (00)	MOCCASIN (80)	BROOKLINE (86)	CONCRETE GREY (83)	ACORN BROWN (82)	GUNSTOCK (12)	CARBON (84)	GRIZZLY (85)
Platforms and dimensions		RED OAK				HARD MAPLE			
		Grade	Glosses		Grade	Gloss			
SOLID	3 ¼" (¾")	PRO	P PB		PRO	P			
	4 ¼" (¾")	PRO	P PB		PRO	P			

<div><div></div><div>Herringbone</div><div>COLLECTION</div></div>								
	HARD MAPLE		RED OAK			WHITE OAK		
Boards dimensions	Refer to the Herringbone sections shown on the collections below for available colors, finishes and glosses:							
5" x 18" (½")	<div><div></div><div>Origins</div><div>COLLECTION</div></div>	<div><div></div><div>Design+</div><div>COLLECTION</div></div>	<div><div></div><div>Elegancia</div><div>COLLECTION</div></div>	<div><div></div><div>Naked</div><div>COLLECTION</div></div>	<div><div></div><div>Atmosphere</div><div>COLLECTION</div></div>	<div><div></div><div>Element</div><div>COLLECTION</div></div>	<div><div></div><div>Source</div><div>COLLECTION</div></div>	

Platform suitable only for a Herringbone pattern installation.

It's all about the finish.

NEW AND
IMPROVED



MERCIER GENERATIONS

Our standard high performance protection. An exceptionally smooth and clear high-resistance finish that brings out the full richness of the wood. Optimal adherence for ultra-durable results. A finish you can trust.



GENERATIONS INTACT 2500

A tough, clear finish formulated for ultimate protection. The Generations Intact 2500 finish has an outstanding track record for durability in commercial applications and high traffic environments. This exceptionally durable and clear matte finish keeps floors looking great through years of wear and tear. Great for young families and pet owners.

Generations of ingenuity and performance

FEATURES	MERCIER GENERATIONS	GENERATIONS INTACT 2500
DURABILITY	Resistance to wear and tear	Superior resistance to wear and tear Microfragmented aluminum particles create a multipoint contact surface that provides increased scratch through resistance and retains the floor's original luster for longer.
DEGREE OF RESISTANCE The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish.	1,000 cycles Compared to 500 cycles from the competition	2,500 cycles Compared to 1,500 cycles from the competition
ANTI-PERFORATION	Perforation-resistant	Anti-perforation
FLEXIBILITY	Flexible	Highly flexible
WATER RESISTANCE	Water resistant	Repels water The molecule adhesion between the finish and the surface of the wood creates a barrier that repels water and other liquids in the event of spills. This permanent bond prevents the finish from peeling.
ANTIMICROBIAL TREATMENT The antimicrobial contained in our finishes helps reduce the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for healthier floors.	●	●
NON-YELLOWING Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it: <ul style="list-style-type: none">• A UV screen against yellowing of the finish when exposed to natural or artificial lighting• A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs	●	●
HYPOALLERGENIC	●	●
STAIN RESISTANT	●	●
GREENGUARD CERTIFIED	●	●
CONTAINS PLANT-BASED OIL	●	●
WARRANTY Quite simply the best warranties in the industry	35 years for residential applications 5 years for light commercial applications 20 years for residential applications, PRO Collection	50 years for residential applications 3 years for commercial applications with direct outdoor access 10 years for light commercial applications

*Minimum quantities and upcharges apply. Please refer to the current Mercier Price List for more details.



Mercier Generations and Generations Intact 2500 finishes meet the Greenguard Gold environmental certification standards. They are free from harmful chemical substances, emit no VOC emissions that are dangerous to human health, and help reduce the propagation of bacterial, germs and molds to keep any environment healthy.

Packaging features

		BOXES				
Board width		Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	20 sq. ft.	9 ¼"	84"	3 ¼"	57 lb
	3 ¼" (¾")	22 sq. ft.	10"	87"	3 ¼"	60 lb
	4 ¼" (¾")	19 sq. ft.	9 ¼"	84"	3 ¼"	55 lb
ENGINEERED	5" (½")	33 sq. ft.	10"	87"	3 ¼"	62 lb
	5" (¾")	22 sq. ft.	10"	87"	3 ¼"	62 ½ lb
	6 ½" (½")	33 sq. ft.	6 ¾"	88"	4 ½"	66 lb
	6 ½" (¾")	22 sq. ft.	6 ¾"	88"	4 ½"	64 lb
	8 ⅛" (¾")	18 sq. ft.	8 ½"	88"	3 ¼"	53 lb
HERRINGBONE	5" x 18" (½")	25 sq. ft.	10"	87"	3 ¼"	47 lb

		PALLETS					
Board width		Number of boxes	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	40	800 sq. ft.	38"	84"	36"	2 200 to 2 500 lb
	3 ¼" (¾")	40	880 sq. ft.	42"	87"	36"	2 200 to 3 000 lb
	4 ¼" (¾")	40	760 sq. ft.	38"	84"	36"	2 200 to 2 500 lb
ENGINEERED	5" (½")	40	1 320 sq. ft.	42"	87"	36"	2 700 to 3 000 lb
	5" (¾")	40	880 sq. ft.	42"	87"	36"	2 700 to 3 000 lb
	6 ½" (½")	42	1 386 sq. ft.	42"	88"	37"	2 400 to 2 800 lb
	6 ½" (¾")	42	924 sq. ft.	42"	88"	37"	2 500 to 2 700 lb
	8 ⅛" (¾")	50	900 sq. ft.	44"	88"	36"	2 300 to 2 500 lb
HERRINGBONE	5" x 18" (½")	40	1 000 sq. ft.	42"	87"	36"	1 900 to 2 500 lb

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.

 **MERCIER**
The original prefinished wood flooring

The wood colors shown in this document are for illustrative purposes only, as they could differ from their actual appearance. It is therefore important to always validate your choice with in-store samples.

1-866-448-1785 | mercierwoodflooring.com