



PRODUCT CHART

Effective: January 2026



MERCIER 2026 Product Chart

LEGEND

- Grades:**
- SB Select & Better
 - DS Distinction
 - AT Authentic
 - RO Rift & Quarter Sawn
 - PRO PRO



- Finishes and glosses:**
- S Satin
 - M Matte
 - B Matte-brushed
 - P PRO
 - PB PRO-brushed



Origins COLLECTION		RED OAK		HARD MAPLE		YELLOW BIRCH		WHITE ASH		HICKORY		WHITE OAK		AMERICAN WALNUT	
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses	Grade	Glosses	Grades	Glosses	Grade	Glosses
SOLID	2 1/4" (3/4")	SB DS	S M E M	SB DS	S M M	DS	S M	DS	S M B M	AT	S M M	AT	S M B M		
	3 1/4" (3/4")	SB DS	S M E M	SB DS	S M M	DS	S M	DS	S M B M	AT	S M M	AT	S M B M		
	4 1/4" (3/4")	SB DS	S M E M	SB DS	S M M	DS	S M	DS	S M B M	AT	S M M	AT	S M B M		
ENGINEERED	5" (1/2")	SB DS	S M E M	SB DS	S M M			DS	S M B M	AT	S M M	AT	S M B M		
	5" (3/4")	SB DS	S M E M	SB DS	S M M			DS	S M B M	AT	S M M	AT	S M B M		
	6 1/2" (1/2")	AT	S M E M	AT	S M M			AT	S M B M	AT	S M M	AT RO	S M B M	AT	S M
	6 1/2" (3/4")	AT	S M E M	AT	S M M			AT	S M B M	AT	S M M	AT RO	S M B M	AT	S M
	7 1/2" (1/2")	SB	S M E M	DS	S M M								S M B M		
HERRINGBONE	5" x 18" (1/2")	DS	S M E M	DS	S M M							DS	S M B M		

Emblem COLLECTION		ANTHEM (A1)	IDOL (A3)	CROWN (A2)	ICON (A1)	LEGEND (A3)	NOBLE (A2)	GALA (A4)	SYMBOL (SN)
Platforms and dimensions		Grade	Glosses	Grade	Glosses	Grade	Glosses	Grade	Glosses
SOLID	4 1/4" (3/4")	DS	M M		SB			M M	
	7 1/2" (1/2")	DS	M M		SB			M M	
ENGINEERED	7 1/2" (3/4")	DS	M M		SB			M M	

Stellar COLLECTION		ORION (29)	CELESTE (NK)	LYRA (SK)	STARLIGHT (HH)	NOVA (WP)	EQUINOX (SN)	SOLARIS (BA)	AURORA (CF)
Platforms and dimensions		Grades							Gloss
ENGINEERED	7 1/2" (1/2")	DS AT							B
	7 1/2" (3/4")	DS AT							B

Source COLLECTION		SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)	BALANCE (BA)	SYNERGY (SN)	BALANCE (BA)	COMFORT (CF)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Glosses
SOLID	3 1/4" (3/4")	DS	M M	DS	M M	AT	M M	M M
	4 1/4" (3/4")	DS	M M	DS	M M	AT	M M	M M
	5" (1/2")	DS	M M	DS	M M	AT	M M	M M
ENGINEERED	5" (3/4")	DS	M M	DS	M M	AT	M M	M M
	6 1/2" (1/2")	AT	M M	AT	M M	AT	M M	M M
	6 1/2" (3/4")	AT	M M	AT	M M	AT	M M	M M
	7 1/2" (1/2")	SB	M M			AT	M M	M M
	7 1/2" (3/4")	SB	M M			AT	M M	M M
HERRINGBONE	5" x 18" (1/2")	DS	M M			DS	M M	M M

Naked COLLECTION		NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)	NAKED (NK)						
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses
SOLID	3 1/4" (3/4")	DS	M B M	DS	M M	AT	M M	DS	M B M	AT	M B M	DS	M
	4 1/4" (3/4")	DS	M B M	DS	M M	AT	M M	DS	M B M	AT	M B M	DS	M
	5" (1/2")	DS	M B M	DS	M M	AT	M M	DS	M B M	AT	M B M		
ENGINEERED	5" (3/4")	DS	M B M	DS	M M	AT	M M	DS	M B M	AT	M B M		
	6 1/2" (1/2")	AT	M B M	AT	M M	AT	M M	AT	M B M	AT RO	M B M		
	6 1/2" (3/4")	AT	M B M	AT	M M	AT	M M	AT	M B M	AT RO	M B M		
	7 1/2" (1/2")			DS	M M			SB	M B M	AT	M B M		
	7 1/2" (3/4")			DS	M M			SB	M B M	AT	M B M		
HERRINGBONE	5" x 18" (1/2")			DS	M M			DS	M B M	DS	M B M		

Atmosphere COLLECTION		HAZE (HZ)	BREEZE (BE)	HUSH (HH)	HAZE (HZ)	HALO (HL)	BLISS (BI)	BREEZE (BE)	HAZE (HZ)	BREEZE (BE)	HUSH (HH)	HUSH (HH)	CHARM (C4)	SILK (SK)	WHISPER (WP)	MADERA (MD)	BREEZE (BE)	GLEAM (GL)	SILK (SK)
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses	Grades	Glosses
SOLID	3 1/4" (3/4")	DS	M M		DS	M B M			AT	M M			AT	M B M			DS	M B M	
	4 1/4" (3/4")	DS	M M		DS	M B M			AT	M M			AT	M B M			DS	M B M	
	5" (1/2")	DS	M M		DS	M B M			AT	M M			AT	M B M			DS	M B M	
ENGINEERED	5" (3/4")	DS	M M		DS	M B M			AT	M M			AT	M B M			DS	M B M	
	6 1/2" (1/2")	AT	M M		AT	M B M			AT	M M			AT	M B M			AT	M B M	
	6 1/2" (3/4")	AT	M M		AT	M B M			AT	M M			AT	M B M			AT	M B M	
	7 1/2" (1/2")	DS	M M		SB	M B M							AT	M B M				M B M	
	7 1/2" (3/4")	DS	M M		SB	M B M							AT	M B M				M B M	
HERRINGBONE	5" x 18" (1/2")	DS	M M		DS	M B M							DS	M B M				M B M	

Design+ COLLECTION		MIST (29)	IVOOR (28)	MADERA (MD)	SHADOW (17)	TREASURE (30)	STONE (21)	TOAST BROWN (09)	CRÈME BRÛLÉE (25)	AMARETTO (15)	GUNSTOCK (12)	JAVA (14)	ARABICA (02)	MEDIUM BROWN (07)	MYSTIC BROWN (20)						
Platforms and dimensions		Grades						Glosses													
SOLID	3 1/4" (3/4")	SB DS						S M B M						SB DS				S M M			
	4 1/4" (3/4")	SB DS						S M B M						SB DS				S M M			
	5" (1/2")	SB DS						S M B M						SB DS				S M M			
ENGINEERED	5" (3/4")	SB DS						S M B M						SB DS				S M M			
	6 1/2" (1/2")	AT						S M B M						AT				S M M			
	6 1/2" (3/4")	AT						S M B M						AT				S M M			
	7 1/2" (1/2")	SB						S M B M						DS				S M M			
	7 1/2" (3/4")	SB						S M B M						DS				S M M			
HERRINGBONE	5" x 18" (1/2")	DS						S M B M						DS				S M M			

PRO COLLECTION		NATURAL (00)	LINEN (HH)	KEYSTONE (GL)	MOCCASIN (80)	BROOKLINE (86)	CONCRETE GREY (83)	ACORN BROWN (82)	GUNSTOCK (12)
Platforms and dimensions		Grade	Glosses	Grade	Gloss	Grade	Gloss	Grade	Gloss
SOLID	3 1/4" (3/4")	PRO	P PB		PRO			P	
	4 1/4" (3/4")	PRO	P PB		PRO			P	
ENGINEERED	5" (1/2")	PRO	P PB		PRO			P	

Element COLLECTION		ELEMENT (EL)	ELEMENT (EL)		
Platforms and dimensions		Grades	Gloss	Grade	Gloss
SOLID	3 1/4" (3/4")	DS	M	AT	M
	4 1/4" (3/4")	DS	M	AT	M
ENGINEERED	5" (1/2")	DS	M	AT	M
	5" (3/4")	DS	M	AT	M
	6 1/2" (1/2")	AT	M	AT	M
	6 1/2" (3/4")	AT	M	AT	M
	7 1/2" (1/2")	DS	M		
HERRINGBONE	5" x 18" (1/2")	DS	M		

Elegancia COLLECTION		SUEDE (SU)	PALOMINO (PO)	MORILLE (GL)	ENGLISH TEA (ET)	FUEGO (FU)
Platforms and dimensions		Grade	Gloss	Grade	Glosses	
SOLID	3 1/4" (3/4")	DS	M	DS	S M	
	4 1/4" (3/4")	DS	M	DS	S M	
ENGINEERED	5" (1/2")					
	5" (3/4")					
	6 1/2" (1/2")					
	6 1/2" (3/4")					
	7 1/2" (1/2")					
HERRINGBONE	5" x 18" (1/2")					

Herringbone COLLECTION		Platform suitable only for a Herringbone pattern installation.		
Boards dimensions		HARD MAPLE	RED OAK	WHITE OAK
5" x 18" (1/2")		Refer to the Herringbone sections shown on the collections below for available colors, finishes and glosses:		
		Origins COLLECTION	Source COLLECTION	Atmosphere COLLECTION
		Naked COLLECTION	Design+ COLLECTION	Element COLLECTION

THE Original PREFINISHED WOOD FLOORING

Proudly made in North America




Solid or Engineered: Take your pick!



	SOLID (SOLID WOOD)	ENGINEERED (ENGINEERED WOOD)
NATURE OF MATERIAL	100% HARDWOOD	TOP LAYER: HARDWOOD BASE: PLYWOOD
SPECIAL FEATURES OF MATERIAL	100% SOLID WOOD NATURAL CHARM	UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES
TYPES OF INSTALLATIONS	NAILED AND STAPLED	NAILED, GLUED, STAPLED*, AND FLOATING**
INSTALLATION IN THE BASEMENT OR ON CONCRETE	NOT RECOMMENDED	POSSIBLE
SANDING	YES: FROM 3 TO 5 TIMES	YES: FROM 3 TO 5 TIMES
SPECIES	HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH	AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK
GRADE (ACCORDING TO THE SPECIES)	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC, R&Q
THICKNESS AND WIDTH (ACCORDING TO THE SPECIES)	2 1/4" (57 MM) X 3/4" (19 MM) 3 1/4" (83 MM) X 3/4" (19 MM) 4 1/4" (108 MM) X 3/4" (19 MM)	5" (127 MM) X 1/2" (12.7 MM) 5" (127 MM) X 3/4" (19 MM) 6 1/2" (165 MM) X 1/2" (12.7 MM) 6 1/2" (165 MM) X 3/4" (19 MM) 7 1/2" (190.5 MM) X 1/2" (12.7 MM) 7 1/2" (190.5 MM) X 3/4" (19 MM)
LENGTH	RANDOM	RANDOM
HERRINGBONE AVAILABILITY (Suitable for a Herringbone pattern installation only)	NOT AVAILABLE	5" (127 MM) X 1/2" (12.7 MM) FIXED LENGTHS: 18" (45.7 CM) HARD MAPLE RED OAK WHITE OAK

MOLDINGS (Availability may vary according to species)

T-MOLDINGS, QUARTER ROUNDS, THRESHOLDS
SUITABLE FOR SOLID AND ENGINEERED 1/2" & 3/4"




REDUCERS
SUITABLE FOR SOLID
AND ENGINEERED 3/4"


SUITABLE FOR
ENGINEERED 1/2"



STAIR NOSINGS
SUITABLE FOR SOLID AND ENGINEERED 3/4"



SUITABLE FOR ENGINEERED 1/2"



* REFER TO TECHNICAL BULLETIN #9

** EXCLUSIONS APPLY. REFER TO THE ENGINEERED INSTALLATION GUIDE.

The most complete finishes, offering unmatched protection



liv

Our standard high-performance protection. The new **liv** incorporates densified biopolymers that minimize surface scratches and the adherence of dirt, marks and stains. It delivers enhanced protection while simplifying maintenance. With unmatched clarity and smoothness, it highlights the full, natural beauty of the wood for an ultra-polished look.



livUP*

A tough, clear finish formulated for ultimate protection. The **livUP** finish has an outstanding track record for durability in commercial-grade applications and high-traffic environments. This exceptionally durable and clear matte finish keeps floors looking great through years of wear and tear. Great for young families and pet owners.

FEATURES

DURABILITY

liv

Enhanced resistance to surface scratches
10X more resistant than previous Mercier finish.

livUP

Superior resistance to wear and tear
Microfragmented aluminum particles create a multipoint contact surface that provides increased scratch through resistance and retains the floor's original luster for longer.

DEGREE OF RESISTANCE

The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish.

1,000 cycles

Compared to 500 cycles from the competition.

2,500 cycles

Compared to 1,500 cycles from the competition.

STAIN RESISTANCE

Stain resistant

Superior stain resistance

CLEANLINESS AND MAINTENANCE

Reduces the adherence of dirt, residues and smudges, making the surface easier to clean.

Reduces the adherence of dirt, residues and smudges, making the surface easier to clean.

ANTI-PERFORATION

Perforation-resistant

Anti-perforation

FLEXIBILITY

Flexible

Highly flexible

WATER RESISTANCE

Water resistant

Repels water

The molecule adhesion between the finish and the surface of the wood creates a barrier that repels water and other liquids in the event of spills. This permanent bond prevents the finish from peeling.

ANTIMICROBIAL TREATMENT

The antimicrobial contained in our finishes helps reduce the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for healthier floors.



NON-YELLOWING

Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it:

- A UV screen against yellowing of the finish when exposed to natural or artificial lighting
- A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs



HYPOALLERGENIC



GREENGUARD GOLD CERTIFIED



CONTAINS PLANT-BASED OIL



WARRANTY

Quite simply the best warranties in the industry

35 years

for residential applications

5 years

for light commercial applications

20 years

for residential applications, PRO Collection

50 years

for residential applications

3 years

for commercial applications with direct outdoor access

10 years

for light commercial applications



liv and **livUP** finishes meet the Greenguard Gold environmental certification standards. They are free from harmful chemical substances, emit no VOC emissions that are dangerous to human health, and help reduce the propagation of bacterial, germs and molds to keep any environment healthy.

*Minimum quantities and upcharges apply. Please refer to the current Mercier Price List for more details.

Packaging features

		BOXES				
	Board width	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 1/4" (3/4")	20 sq. ft.	9 1/4"	84"	3 1/4"	57 lb
	3 1/4" (3/4")	22 sq. ft.	10"	87"	3 1/4"	60 lb
	4 1/4" (3/4")	19 sq. ft.	9 1/4"	84"	3 1/4"	55 lb
ENGINEERED	5" (1/2")	33 sq. ft.	10"	87"	3 1/4"	62 lb
	5" (3/4")	22 sq. ft.	10"	87"	3 1/4"	62 1/2 lb
	6 1/2" (1/2")	33 sq. ft.	6 3/4"	88"	4 1/2"	66 lb
	6 1/2" (3/4")	22 sq. ft.	6 3/4"	88"	4 1/2"	64 lb
	7 1/2" (1/2") Stellar Collection	35.16 sq. ft.	8 1/4"	79"	5"	59 lb
	7 1/2" (3/4") Stellar Collection	23.44 sq. ft.	8 1/4"	79"	5"	59 lb
	7 1/2" (1/2")	37.5 sq. ft.	8 1/8"	88"	4 3/4"	70.875 lb
	7 1/2" (3/4")	25 sq. ft.	8 1/8"	88"	4 3/4"	69.5 lb
HERRINGBONE	5" x 18" (1/2")	25 sq. ft.	10"	87"	3 1/4"	47 lb

		PALLETS					
	Board width	Number of boxes	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 1/4" (3/4")	40	800 sq. ft.	38"	84"	36"	2,200 to 2,500 lb
	3 1/4" (3/4")	40	880 sq. ft.	42"	87"	36"	2,200 to 3,000 lb
	4 1/4" (3/4")	40	760 sq. ft.	38"	84"	36"	2,200 to 2,500 lb
ENGINEERED	5" (1/2")	40	1,320 sq. ft.	42"	87"	36"	2,700 to 3,000 lb
	5" (3/4")	40	880 sq. ft.	42"	87"	36"	2,700 to 3,000 lb
	6 1/2" (1/2")	42	1,386 sq. ft.	42"	88"	37"	2,400 to 2,800 lb
	6 1/2" (3/4")	42	924 sq. ft.	42"	88"	37"	2,500 to 2,700 lb
	7 1/2" (1/2") Stellar Collection	35	1,230.6 sq. ft.	42"	79"	38"	2,000 to 2,100 lb
	7 1/2" (3/4") Stellar Collection	35	820.4 sq. ft.	42"	79"	38"	2,000 to 2,100 lb
	7 1/2" (1/2")	35	1312.5 sq. ft.	41"	88"	38"	2,480 to 2,560 lb
	7 1/2" (3/4")	35	875 sq. ft.	41"	88"	38"	2,388 to 2,460 lb
HERRINGBONE	5" x 18" (1/2")	40	1,000 sq. ft.	42"	87"	36"	1,900 to 2,500 lb

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.



The wood colors shown in this document are for illustrative purposes only, as they could differ from their actual appearance. It is therefore important to always validate your choice with in-store samples.

1-866-448-1785 | mercierwoodflooring.com