

**COMMERCIAL
DURABILITY**
HYDROPHOBIC AND ANTI-PERFORATION

GENERATIONS
INTACT 2500

**GREENGUARD
Certified**



MERCIER

wood flooring


With Generations Intact 2500, you now have the freedom to create commercial spaces that feature the richness and warmth of wood, without sacrificing durability.

Generations Intact 2500 withstands even the harshest elements: salt, water, snow, sand - nothing damages this resistant commercial finish or tarnishes the beauty of the shine, colours and textures Mercier is renowned for.

Create without compromise with a product that will stand the test of time.

HYDROPHOBIC FINISH THE MOLECULAR BARRIER


The molecules in the Generations Intact 2500 finish interlock with the wood cells, creating a waterproof barrier for unmatched protection from the elements. As a result, the finish does not come off or fade.



COMMERCIAL DURABILITY

FLEXIBILITY


Generations Intact 2500 protects floor surfaces thanks to aluminum oxide particles of varying sizes. The multilayered composition makes this finish more flexible and impact resistant.




COMMERCIAL DURABILITY

ANTI-PERFORATION

This superior commercial durability is reinforced by an anti-perforation finish that stands up to 2500 cycles of the TABER sandpaper test.




TABER COMPARATIVE GRAPH




THE TABER TEST

The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish. Generations Intact 2500 resists 2500 TABER test cycles, making it the most resistant finish in the industry.



SCRATCH-RESISTANT FINISH

The top layer of Generations Intact 2500 is packed with micro-fragmented aluminum particles. This creates a multipoint contact surface that is much more resistant to the scratches caused by the frequent traffic in commercial spaces.



AVAILABLE PRODUCT



THE BEST WARRANTIED COMMERCIAL FINISH

Even in high-traffic areas, Generations Intact 2500 is the only finish to come with a 3-year commercial warranty on surfaces with direct outdoor access and a 10-year warranty for light commercial projects.



For use with direct outdoor access



For light commercial use

LOW MAINTENANCE

Floors treated with Generations Intact 2500 are so low maintenance, you can clean them with just soap and water.

They are antimicrobial, reducing the risk of bacteria and mould infecting the surface of the finish. They are also armed with a protective shield against yellowing and discolouration. Finally, they are GREENGUARD GOLD-certified, meaning you'll enjoy the cleanest, most ecofriendly and nontoxic floor available.



ANTIMICROBIAL



MAINTENANCE



NON-YELLOWING



COMMERCIAL GLOSS

This limited reflection gloss minimizes the appearance of surface marks and allows for optimal maintenance.



SPECIFICATIONS

	Engineered 1/2 in			Engineered 3/4 in			
Thickness	1/2 in (13 mm)			3/4 in (19 mm)			
Width	3 1/4 in (83 mm)	4 1/2 in (114 mm)	6 1/2 in (165 mm)	4 1/2 in (114 mm)	6 1/2 in (165 mm)	8 1/8 in (206 mm)	8 1/8 in PLUS (206 mm)
Surface Layer	Thin sawing 4 mm		Thin sawing 2,35 mm	Thin sawing 4 mm			
Substrate (Baltic Birch plywood)	7 cross-ply		8 cross-ply	11 cross-ply			
Length	12 in to 86 in (300 mm to 2184 mm)	12 in to 85 in (300 mm to 2159 mm)	12 in to 84 in (300 mm to 2134 mm)	12 in to 85 in (300 mm to 2159 mm)	12 in to 84 in (300 mm to 2134 mm)	18 in to 85 in (406 mm to 2159 mm)	60 in to 87 in (1524 mm to 2210 mm)
Profiling	Micro V-joint on 4 sides			Micro V-joint on 4 sides			
Moisture content	Between 6% & 9%			Between 6% & 9%			



The mark of
responsible forestry



www.mercierwoodflooring.com