



Description ____

Solid wood floors are made of 100% hardwood and have a thickness of ¾" (19 mm). Their durability and natural charm make them an eco-intelligent and sustainable investment. Boards have micro-v joints on all 4 sides, ensuring a neat and seamless installation. Visit our website for the complete product offering. Protected by the ultra-durable Mercier Generations finish they offer a 35-year warranty for residential applications* and a 5-year warranty for light commercial applications. Also offered with the ultimate durability Generations Intact 2500 finish**, they offer a 50-year warranty for residential applications, a 10-year warranty for light commercial applications and a 3-year warranty for commercial applications with direct outdoor access. All Mercier wood floors are Greenguard Gold certified, the highest environmental certification on the market.

*20-year warranty for the PRO Collection

Certificate of compliance _____



| GREENGUARD Gold Certification Criteria for Building Products and Interior Finishes | | | | |
|--|---------------|--|-------|--|
| Criteria | CAS Number | Maximum Allowable Predicted Concentration | Units | |
| TVOC | - | 0.22 | mg/m³ | |
| Formaldehyde | 50-00-0 | 9 (7.3 ppb) | μg/m³ | |
| Total Aldehydes | - | 0.043 | ppm | |
| 4-Phenylcyclohexene | 4994-16-5 | 6.5 | μg/m³ | |
| Particle Matter less than 10 μm | - | 20 | μg/m³ | |
| 1-Methyl-2-pyrrolidinone | 872-50-4 | 160 | μg/m³ | |
| Individual VOCs | - | 1/2 CREL or 1/100th TLV | - | |

^{**}With the exception of the Yellow Birch and American Walnut products, as well as Stellar, Element, PRO and City Life (Canada only) collections.



Characteristics _____



| Species | Red Oak, Hard Maple, Hickory, White Oak, White Ash, Yellow Birch | | |
|-------------|---|--|--|
| Thicknesses | 3⁄4'' (19 mm) | | |
| Profiling | Micro-V joints on 4 sides | | |

34" x 2 ¼" (19 mm x 57 mm) Widths 34" x 3 ¼" (19 mm x 83 mm)

 $3\!4^{\prime\prime}$ x 4 $1\!4^{\prime\prime}$ (19 mm x 108 mm)

Recycled content _____

| Final product | Weight ratio | Pre-consumer | Post-consumer | |
|--------------------------------|--------------|--------------|---------------|--|
| Solid floorboards 3/4" (19 mm) | 100% | 0% | 0% | |

Sourcing of raw materials _____

| Weight ratio | Final manufacturing location |
|--------------|------------------------------|
| 100% | Montmagny, QC G5V 4T1 CANADA |

| Component | Weight ratio | Extraction location | Transportation |
|-----------|--------------|--|----------------|
| Hardwood | 90% | Canada (Quebec and Ontario) and United States (Connecticut, Maine, Massachusetts, Michigan, Mississippi, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island and Vermont) | Road |
| Finish | <0.1% | n/a | |

The source of extraction or location of raw materials has been documented for 99.0% of final product weight.



Raw materials extraction zones _____



1. Hardwood Harvest Location

(Details available upon request)

Canada: Quebec and Ontario

United States: Connecticut, Maine, Massachusetts, Michigan, Mississippi, New Hampshire, New Jersey, New York, Ohio, Pennsylvania, Rhode Island and Vermont.



Technical performances _____

| | Mercier Generations finish |
|-------------------|---|
| renomiance tests | Source: Mercier Wood Flooring, Inc. |
| Performance tests | lests conducted by Mercier Wood Flooring, Inc according to applicable ASTM standards. |

35-year warranty for residential applications (all products except PRO Collection)

20-year warranty for residential applications (PRO Collection only)

5-year warranty for light commercial applications

Structural lifetime warranty

Warranty

Generations Intact 2500 finish

50-year warranty for residential applications (all products except PRO Collection)

10-year warranty for light commercial applications

3-year warranty for commercial applications with direct outdoor access

Structural lifetime warranty

Manufacturer's environmental management program ______

We are committed to sourcing wood only from environmentally responsible suppliers. All the species we use come from sustainably managed North American forests and adhere to rigorous traceability standards.

Manufacturer's commitment

We reinsert 100% of our residues back into the company to heat our factory. All our products are packaged using recycled and recyclable packaging.

Mercier is one of the few manufacturers of prefinished wood to be Greenguard Gold certified, the highest standard on the market. This certification confirms that our finishes are free of thousands of chemical substances that are harmful to human health, such as VOCs and other pollutants. We provide peace of mind to clients who are concerned about the air that they breathe.

Compliant with the standard method of the California Department of Public Health (CDPH)



Greenguard Gold Certification

| Certification agency | Certification number | Species* |
|----------------------|----------------------|------------|
| UL Environement | 15724-420 | Hard Maple |
| UL Environement | 15716-420 | Red Oak |
| UL Environement | 102656-420 | Hickory |
| UL Environement | 15732-420 | White Oak |

*Greenguard Gold certification available for all other species and colors.



Product contribution summary _____

LEED° **v4 requirements for Building Design + Construction (BD+C):** New construction and Major Renovation, Core and Shell, School, Retail, Data Centers, Warehouse and Distribution Centers, Hospitality and Healthcare

LEED® v4 requirements for Interior Design + Contruction (ID+C): Commercial Interiors, Retail and Hospitality

| Material a | and Ressources | | | |
|------------------------------|--|-----------------------|--|--|
| MR | Building Product Disclosure and Optimization — Material Ingredients Option 1: Material ingredients reporting (1 point) | | | |
| Indoor Environmental Quality | | Product Contributions | | |
| ' | | Contribute | Ingredients and Emissions | |
| | Option 1: Product Category calculation (1-3 points) For the flooring category 100% of flooring meet the requirements. | | Solid floorboards have been tested according with the standard method of the California Department of Public Health (CDPH) v1.2-2017 | |

LEED® v4 requirements for homes: Applies to single family homes, multi-family (one to three stories), or multi-family (four to six stories). Includes homes and multi-family low-rise and multi-family mid-rise.

| Material and Ressources | | Product Contributions | |
|---|--------------------------------------|--|---|
| MR* | Certified Tropical Wood | Contribute | Attributes |
| prerequisite | prerequisite | | Solid floorboards are available with non-tropical wood species. |
| Indoor Environmental Quality | | Product Contributions | |
| EQ Low-Emitting Products (0.5-3 points) At least 90% of all materials in each category must meet credit requirements. | Low-Emitting Products (0.5-3 points) | Contribute | Ingredients and Emissions |
| | | Solid floorboards have been tested according with the standard method of the California Department of Public Health (CDPH) v1.2-2017 | |

It is important to consider that the total of possible points reflects the number of achievable points in each credit category. The product itself cannot achieve this score, as defined above, but is considered as a beneficial element in order to obtain LEED® credits.