




PRODUCT CHART

Effective: May 2021



MERCIER

2021 Product Chart



All products are available with either Mercier Generations or Generations Intact 2500* finishes.

*with the exception of the Element and PRO collections

LEGEND





























Grades: **SB** Select & Better
DS Distinction
AT Authentic
RO Rift & Quarter Sawn
PRO PRO

Glosses: **S** Satin
M Matte
B Matte-brushed
P PRO
PB PRO-brushed





Generations Intact 2500 finish
I Intact
IB Intact-brushed

Origins COLLECTION		RED OAK		HARD MAPLE		YELLOW BIRCH		WHITE ASH		HICKORY		WHITE OAK		AMERICAN WALNUT	
Platforms and dimensions		Grades	Glosses	Grades	Glosses	Grades	Glosses	Grade	Glosses	Grade	Glosses	Grades	Glosses	Grade	Glosses
SOLID	2 1/4" (4")	SB DS	S M B I IB	SB DS	S M I	DS	S M I	DS	S M B I IB	AT	S M I	AT	S M B I IB		
	3 1/4" (4")	SB DS	S M B I IB	SB DS	S M I	DS AT	S M I	DS	S M B I IB	AT	S M I	AT	S M B I IB		
	4 1/4" (4")	SB DS	S M B I IB	SB DS	S M I	DS AT	S M I	DS	S M B I IB	AT	S M I	AT	S M B I IB		
ENGINEERED	3 1/4" (1/2")	SB DS	S M B I IB	SB DS	S M I										
	5" (1/2")	SB DS	S M B I IB	SB DS	S M I					AT	S M I	AT	S M B I IB	AT	S M I
	5" (3/4")	SB DS	S M B I IB	SB DS	S M I					AT	S M I	AT	S M B I IB	AT	S M I
	6 1/2" (1/2")	AT	S M B I IB	AT	S M I					AT	S M I	AT RO	S M B I IB	AT	S M I
	6 1/2" (3/4")	AT	S M B I IB	AT	S M I					AT	S M I	AT RO	S M B I IB	AT	S M I
	8 1/2" (3/4")	AT	S M B I IB	AT	S M I					AT	S M I	AT	S M B I IB		
HERRINGBONE	5" x 18" (1/2")	DS	S M B I IB	DS	S M I							DS	S M B I IB		

Design+ COLLECTION		RED OAK																				
		HARD MAPLE																				
		MIST (29)	IVOOR (28)	MADERA (MD)	SHADOW (17)	TREASURE (30)	STONE (21)	ECLIPSE (03)	SMOKY BROWN (26)	TOAST BROWN (09)	CRÈME BRÛLÉE (25)	AMARETTO (15)	GUNSTOCK (12)	BARISTA (BT)	JAVA (14)	AUTUMN LEAF (24)	ARABICA (02)	BARREL (27)	MEDIUM BROWN (07)	CHOCOLATE BROWN (18)	MYSTIC BROWN (20)	
		RED OAK											HARD MAPLE									
Platforms and dimensions		Grades					Glosses						Grades					Glosses				
SOLID	2 ¼" (¾")	SB OS					S M B I IB						SB OS					S M I				
	3 ¼" (¾")	SB OS					S M B I IB						SB OS					S M I				
	4 ¼" (¾")	SB OS					S M B I IB						SB OS					S M I				
ENGINEERED	3 ¼" (½")	SB OS					S M B I IB						SB OS					S M I				
	5" (½")	SB OS					S M B I IB						SB OS					S M I				
	5" (¾")	SB OS					S M B I IB						SB OS					S M I				
	6 ½" (¾")	AT					S M B I IB						AT					S M I				
	6 ½" (¾")	AT					S M B I IB						AT					S M I				
	8 ½" (¾")	AT					S M B I IB						AT					S M I				
HERRINGBONE	5" x 18" (½")	OS					S M B I IB						OS					S M I				











Elegancia COLLECTION																													
		SILVER GREY (SY)	MODERN GREY (MG)	ENGLISH TEA (ET)	BRONZE (BZ)	SANDSTONE (SD)	TOBACCO (TO)	MADERA (MD)	CREMA (CM)	FIORD (FO)	FUEGO (FU)	KONA (KN)	SLATE (SL)	FUEGO (FU)	ROMA (RA)	SEPIA (SI)	TREMBLANT (TB)	JASPER (JP)	BLACK CHERRY (BY)	SUEDE (SU)	BROOKLINE (BG)	PALOMINO (PD)	FUEGO (FU)	ENGLISH TEA (ET)	ACORN BROWN (B2)	MODERN GREY (MG)	CONCRETE GREY (G3)	VOLCANO DUST (VD)	GRIZZLY (G5)
		WHITE ASH					WHITE OAK					HICKORY					YELLOW BIRCH												
Platforms and dimensions		Grade		Glosses			Grades		Glosses			Grade		Glosses			Grades		Glosses										
SOLID	3 ¼" (¾")	DS		S M B I IB			AT		S M B I IB			AT		S M I			DS AT		S M I										
	4 ¼" (¾")	DS		S M B I IB			AT		S M B I IB			AT		S M I			DS AT		S M I										
ENGINEERED	5" (½")						AT		S M B I IB			AT		S M I															
	5" (¾")						AT		S M B I IB			AT		S M I															
	6 ½" (¾")						AT RO		S M B I IB			AT		S M I															
	6 ½" (¾")						AT RO		S M B I IB			AT		S M I															
	8 ½" (¾")						AT		S M B I IB					S M I															
HERRINGBONE	5" x 18" (½")						DS		S M B I IB																				

Naked COLLECTION		RED OAK		WHITE OAK		HICKORY		AMERICAN WALNUT	
		NAKED (NK)		NAKED (NK)		NAKED (NK)		NAKED (NK)	
		Grades	Glosses	Grades	Glosses	Grade	Glosses	Grade	Glosses
SOLID	3 1/4" (4")	DS	M I	AT	M B I IB	AT	M I		
	4 1/4" (4")	DS	M I	AT	M B I IB	AT	M I		
ENGINEERED	3 1/4" (1/2")	DS	M I						
	5" (1/2")	DS	M I	AT	M B I IB	AT	M I	AT	M I
	5" (3/4")	DS	M I	AT	M B I IB	AT	M I	AT	M I
	6 1/2" (1/2")	AT	M I	AT RO	M B I IB	AT	M I	AT	M I
	6 1/2" (3/4")	AT	M I	AT RO	M B I IB	AT	M I	AT	M I
	8 1/2" (3/4")	AT	M I	AT	M B I IB				
HERRINGBONE	5" x 18" (1/2")	DS	M I	DS	M B I IB				

Element COLLECTION									
		ELEMENT (EL)	TERRAIN (TR)	ELEMENT (EL)	ORAGE (OR)	ELEMENT (EL)	ELEMENT (EL)		
		HARD MAPLE		WHITE OAK		HICKORY		AMERICAN WALNUT	
Platforms and dimensions		Grades	Gloss	Grades	Gloss	Grade	Gloss	Grade	Gloss
SOLID	3 ¼" (¾")	DS	M	AT	M	AT	M		
	4 ¼" (¾")	DS	M	AT	M	AT	M		
ENGINEERED	3 ¼" (½")	DS	M						
	5" (½")	DS	M	AT	M	AT	M	AT	M
	5" (¾")	DS	M	AT	M	AT	M	AT	M
	6 ½" (½")	AT	M	AT	M	AT	M	AT	M
	6 ½" (¾")	AT	M	AT	M	AT	M	AT	M
	8 ½" (¾")	AT	M	AT	M				
HERRINGBONE	5" x 18" (½")	DS	M	DS	M				

<div><div></div><div>Herringbone</div><div>COLLECTION</div></div>												
	HARD MAPLE				RED OAK				WHITE OAK			
Boards dimensions	Refer to the Herringbone sections shown on the collections below for available colors, finishes and glosses:											
5" x 18" (1/2")	 Origins COLLECTION	 Design+ COLLECTION	 Elegancia COLLECTION	 Naked COLLECTION	 Atmosphere COLLECTION	 Element COLLECTION						

Platform suitable only for a Herringbone pattern installation.

Atmosphere COLLECTION																					
		HAZE (HZ)		BREEZE (BE)		HUSH (HH)		HAZE (HZ)		BREEZE (BE)		HAZE (HZ)		BREEZE (BE)		HUSH (HH)		HUSH (HH)		WHISPER (WP)	
		HARD MAPLE				RED OAK				HICKORY				WHITE OAK							
Platforms and dimensions		Grades		Glosses		Grades		Glosses		Grade		Glosses		Grades		Glosses					
SOLID	3 1/4" (3/4")	DS	M I	DS	M B I IB	AT	M I	AT	M B I IB												
	4 1/4" (3/4")	DS	M I	DS	M B I IB	AT	M I	AT	M B I IB												
ENGINEERED	3 1/4" (1/2")	DS	M I	DS	M B I IB																
	5" (1/2")	DS	M I	DS	M B I IB	AT	M I	AT	M B I IB												
	5" (3/4")	DS	M I	DS	M B I IB	AT	M I	AT	M B I IB												
	6 1/2" (1/2")	AT	M I	AT	M B I IB	AT	M I	AT RQ	M B I IB												
	6 1/2" (3/4")	AT	M I	AT	M B I IB	AT	M I	AT RQ	M B I IB												
	8 1/2" (3/4")	AT	M I	AT	M B I IB																
HERRINGBONE	5" x 18" (1/2")	DS	M I	DS	M B I IB																

THE Original PREFINISHED WOOD FLOORING

Proudly made in North America




Solid or Engineered: Take your pick!



	SOLID (SOLID WOOD)	ENGINEERED (ENGINEERED WOOD)
NATURE OF MATERIAL	100% HARDWOOD	TOP LAYER: HARDWOOD, 4MM THICK BASE: HARDWOOD PLYWOOD
SPECIAL FEATURES OF MATERIAL	100% SOLID WOOD NATURAL CHARM	UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES
TYPES OF INSTALLATIONS	NAILED AND STAPLED	NAILED, GLUED, STAPLED*, AND FLOATING
INSTALLATION IN THE BASEMENT OR ON CONCRETE	NOT RECOMMENDED	POSSIBLE
SANDING	YES: FROM 3 TO 5 TIMES	YES: FROM 3 TO 5 TIMES
SPECIES	HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH	AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE OAK
GRADE (ACCORDING TO THE SPECIES)	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC	SELECT & BETTER, DISTINCTION, PRO, AUTHENTIC, R&Q
THICKNESS AND WIDTH (ACCORDING TO THE SPECIES)	2 1/4" (57 MM) X 3/4" (19 MM) 3 1/4" (83 MM) X 3/4" (19 MM) 4 1/4" (108 MM) X 3/4" (19 MM)	3 1/4" (83 MM) X 1/2" (12,7 MM) 5" (127 MM) X 1/2" (12,7 MM) 5" (127 MM) X 3/4" (19 MM) 6 1/2" (165 MM) X 1/2" (12,7 MM) 6 1/2" (165 MM) X 3/4" (19 MM) 8 1/8" (206 MM) X 3/4" (19 MM)
LENGTH	RANDOM	RANDOM
HERRINGBONE AVAILABILITY (Suitable for a Herringbone pattern installation only)	NOT AVAILABLE	5" (127 MM) X 1/2" (12,7 MM) LENGTH: 18" (45,7 CM) HARD MAPLE RED OAK WHITE OAK


MOLDINGS

T-MOLDINGS, QUARTER ROUNDS, THRESHOLDS
SUITABLE FOR SOLID AND ENGINEERED 1/2" & 3/4"



REDUCERS

SUITABLE FOR SOLID AND ENGINEERED 3/4"




SUITABLE FOR ENGINEERED 1/2"




STAIR NOSINGS

SUITABLE FOR SOLID AND ENGINEERED 3/4"

Round nosing




Square nosing




SUITABLE FOR ENGINEERED 1/2"

Round nosing



Square nosing



* REFER TO TECHNICAL BULLETIN # 9

It's all about the finish.



MERCIER GENERATIONS

An ultra-durable wood floor finish, Mercier Generations is perfect for a regular everyday use. The safest, healthiest choice for you and your family. This finish is available on all floors.



GENERATIONS INTACT 2500*

The ultimate in durability. Made with micro-fragmented aluminum particles, it can withstand harsher use in such environments as high-traffic spaces, or commercial applications. The hydrophobic molecules in the Generations Intact 2500 finish interlock with the wood cells for unmatched protection. This finish is available on all floors, with the exception of the Element and PRO collections.

Generations of ingenuity and performance

FEATURES	MERCIER GENERATIONS	GENERATIONS INTACT 2500
ANTIMICROBIAL TREATMENT The antimicrobial coating applied onto the surface of our finishes helps maintain excellent hygiene by reducing the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for hygienic and sanitary floors.	●	●
NON-YELLOWING Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it: <ul style="list-style-type: none">• A UV screen against yellowing of the finish when exposed to natural or artificial lighting• A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs	●	●
HYPOALLERGENIC	●	●
STAIN RESISTANT	●	●
GREENGUARD CERTIFIED	●	●
CONTAINS PLANT-BASED OIL	●	●
DEGREE OF RESISTANCE The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish.	1,000 cycles Compared to 500 cycles from the competition	2,500 cycles Compared to 1,500 cycles from the competition
DURABILITY	Scratch-resistant	Anti-scratch The top layer being packed with micro-fragmented aluminum particles, it creates a multipoint contact surface that is much more resistant to the scratches caused by the frequent traffic in highly solicited spaces.
FLEXIBILITY	Flexible	Highly flexible
ANTI-PERFORATION	Perforation-resistant	Anti-perforation
WARRANTY Quite simply the best warranties in the industry	35 years for residential applications 5 years for light commercial applications 20 years for residential applications, PRO Collection	50 years for residential applications 3 years for commercial applications with direct outdoor access 10 years for light commercial applications

*Minimum quantities and upcharges apply. Please refer to the current Mercier Price List for more details.



CERTIFIED GREENGUARD GOLD, OUR WOOD FLOOR FINISHES ARE FREE FROM ANY HARMFUL CHEMICALS AND FORMALDEHYDE. THEY EMIT NO HARMFUL VOCs AND REDUCE THE PROLIFERATION OF MOLD AND BACTERIA. WITH MERCIER, CLIENTS' WELL-BEING COMES FIRST.

Packaging features

		BOXES				
	Board width	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	20 sq. ft.	9 ¼"	84"	3 ¼"	57 lb
	3 ¼" (¾")	22 sq. ft.	10"	87"	3 ¼"	60 lb
	4 ¼" (¾")	19 sq. ft.	9 ¼"	84"	3 ¼"	55 lb
ENGINEERED	3 ¼" (½")	33.6 sq. ft.	10"	87"	3 ¼"	67 lb
	5" (½")	33 sq. ft.	10"	87"	3 ¼"	62 lb
	5" (¾")	22 sq. ft.	10"	87"	3 ¼"	62 ½ lb
	6 ½" (½")	33 sq. ft.	6 ¾"	88"	4 ½"	66 lb
	6 ½" (¾")	22 sq. ft.	6 ¾"	88"	4 ½"	64 lb
	8 ⅝" (¾")	18 sq. ft.	8 ½"	88"	3 ¼"	53 lb
HERRINGBONE	5" x 18" (½")	25 sq. ft.	10"	87"	3 ¼"	47 lb

		PALLETS					
	Board width	Number of boxes	Content (sq. ft.)	Width (in)	Length (in)	Height (in)	Weight (lb)
SOLID	2 ¼" (¾")	40	800 sq. ft.	38"	84"	36"	2 200 to 2 500 lb
	3 ¼" (¾")	40	880 sq. ft.	42"	87"	36"	2 200 to 3 000 lb
	4 ¼" (¾")	40	760 sq. ft.	38"	84"	36"	2 200 to 2 500 lb
ENGINEERED	3 ¼" (½")	40	1 344 sq. ft.	42"	87"	36"	2 700 to 3 000 lb
	5" (½")	40	1 320 sq. ft.	42"	87"	36"	2 700 to 3 000 lb
	5" (¾")	40	880 sq. ft.	42"	87"	36"	2 700 to 3 000 lb
	6 ½" (½")	42	1 386 sq. ft.	42"	88"	37"	2 400 to 2 800 lb
	6 ½" (¾")	42	924 sq. ft.	42"	88"	37"	2 500 to 2 700 lb
	8 ⅝" (¾")	50	900 sq. ft.	44"	88"	36"	2 300 to 2 500 lb
HERRINGBONE	5" x 18" (½")	40	1 000 sq. ft.	42"	87"	36"	1 900 to 2 500 lb

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.

 **MERCIER**
The original prefinished wood flooring

The wood colors shown in this document are for illustrative purposes only, as they could differ from their actual appearance. It is therefore important to always validate your choice with in-store samples.

1-866-448-1785 | mercierwoodflooring.com