




PRODUCT CHART

Effective: February 2020



MERCIER 2020 Product Chart



All products are available with either Mercier Generations or Generations Intact 2500* finishes.
*with the exception of the Element Collection

LEGEND

- Grades:** SB Select & Better, DS Distinction, AT Authentic, RQ Rift & Quarter Sawn
- Glosses:** SG Semi-gloss, S Satin, M Matte, B Matte-brushed
- Mercier Generations finish**
- Generations Intact 2500 finish**
- I** Intact, **IB** Intact-brushed

| Origins COLLECTION | | RED OAK | | HARD MAPLE | | YELLOW BIRCH | | WHITE ASH | | HICKORY | | WHITE OAK | | AMERICAN WALNUT | |
|--------------------------|---------------------|---------|---------------|------------|---------------|--------------|---------------|-----------|---------------|---------|---------------|-----------|---------------|-----------------|---------------|
| Platforms and dimensions | | Grades | | Glosses | | Grades | | Grades | | Glosses | | Grades | | Glosses | |
| SOLID | 2 1/4" (3/4") | SB DS | SG S M B I IB | SB DS | SG S M B I IB | SB DS | SG S M B I IB | DS | SG S M B I IB | AT | SG S M B I IB | AT | SG S M B I IB | | |
| | 3 1/4" (3/4") | SB DS | SG S M B I IB | SB DS | SG S M B I IB | SB DS AT | SG S M B I IB | DS | SG S M B I IB | AT | SG S M B I IB | AT | SG S M B I IB | | |
| | 4 1/4" (3/4") | SB DS | SG S M B I IB | SB DS | SG S M B I IB | DS AT | SG S M B I IB | DS | SG S M B I IB | AT | SG S M B I IB | AT | SG S M B I IB | | |
| ENGINEERED | 3 1/4" (3/4") | SB DS | SG S M B I IB | SB DS | SG S M B I IB | | | | | | | | | | |
| | 5" (1/2") | DS | SG S M B I IB | DS | SG S M B I IB | | | | | AT | SG S M B I IB | AT | SG S M B I IB | AT | SG S M B I IB |
| | 5" (3/4") | DS | SG S M B I IB | DS | SG S M B I IB | | | | | AT | SG S M B I IB | AT | SG S M B I IB | AT | SG S M B I IB |
| | 6 1/2" (3/4") | AT | SG S M B I IB | AT | SG S M B I IB | | | | | AT | SG S M B I IB | AT RQ | SG S M B I IB | AT | SG S M B I IB |
| | 6 1/2" (3/4") | AT | SG S M B I IB | AT | SG S M B I IB | | | | | AT | SG S M B I IB | AT RQ | SG S M B I IB | AT | SG S M B I IB |
| | 8 1/2" (3/4") | AT | SG S M B I IB | AT | SG S M B I IB | | | | | AT | SG S M B I IB | AT RQ | SG S M B I IB | AT | SG S M B I IB |
| HERRINGBONE | 4 1/2" x 18" (1/2") | DS | SG S M B I IB | DS | SG S M B I IB | | | | | | | DS | SG S M B I IB | | |
| | 6 1/2" x 26" (1/2") | DS | SG S M B I IB | DS | SG S M B I IB | | | | | | | DS | SG S M B I IB | | |

| Design+ COLLECTION | | RED OAK | | HARD MAPLE | | RED OAK | | HARD MAPLE | |
|--------------------------|---------------------|---------|---------------|------------|--|---------|---------------|------------|--|
| Platforms and dimensions | | Grades | | Glosses | | Grades | | Glosses | |
| SOLID | 2 1/4" (3/4") | SB DS | SG S M B I IB | | | SB DS | SG S M B I IB | | |
| | 3 1/4" (3/4") | SB DS | SG S M B I IB | | | SB DS | SG S M B I IB | | |
| | 4 1/4" (3/4") | SB DS | SG S M B I IB | | | SB DS | SG S M B I IB | | |
| ENGINEERED | 3 1/4" (3/4") | SB DS | SG S M B I IB | | | SB DS | SG S M B I IB | | |
| | 5" (1/2") | DS | SG S M B I IB | | | DS | SG S M B I IB | | |
| | 5" (3/4") | DS | SG S M B I IB | | | DS | SG S M B I IB | | |
| | 6 1/2" (3/4") | AT | SG S M B I IB | | | AT | SG S M B I IB | | |
| | 6 1/2" (3/4") | AT | SG S M B I IB | | | AT | SG S M B I IB | | |
| | 8 1/2" (3/4") | AT | SG S M B I IB | | | AT | SG S M B I IB | | |
| HERRINGBONE | 4 1/2" x 18" (1/2") | DS | SG S M B I IB | | | DS | SG S M B I IB | | |
| | 6 1/2" x 26" (1/2") | DS | SG S M B I IB | | | DS | SG S M B I IB | | |

| Naked COLLECTION | | NAKED (NK) | | NAKED (NK) | | NAKED (NK) | | NAKED (NK) | |
|--------------------------|---------------------|------------|-----|------------|----------|------------|-----|-----------------|-----|
| Platforms and dimensions | | HARD MAPLE | | WHITE OAK | | HICKORY | | AMERICAN WALNUT | |
| Platforms and dimensions | | Grades | | Glosses | | Grade | | Glosses | |
| SOLID | 3 1/4" (3/4") | DS | M I | AT | M B I IB | AT | M I | | |
| | 4 1/4" (3/4") | DS | M I | AT | M B I IB | AT | M I | | |
| | 3 1/4" (3/4") | DS | M I | | | | | | |
| ENGINEERED | 5" (1/2") | DS | M I | AT | M B I IB | AT | M I | AT | M I |
| | 5" (3/4") | DS | M I | AT | M B I IB | AT | M I | AT | M I |
| | 6 1/2" (3/4") | AT | M I | AT RQ | M B I IB | AT | M I | AT | M I |
| | 6 1/2" (3/4") | AT | M I | AT RQ | M B I IB | AT | M I | AT | M I |
| | 8 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M I |
| | 8 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M I |
| HERRINGBONE | 4 1/2" x 18" (1/2") | DS | M I | DS | M B I IB | | | | |
| | 6 1/2" x 26" (1/2") | DS | M I | DS | M B I IB | | | | |

| Atmosphere COLLECTION | | HAZE (HZ) | | BREEZE (BE) | | HAZE (HZ) | | BREEZE (BE) | | HAZE (HZ) | | BREEZE (BE) | | HUSH (HH) | | WHISPER (WP) | |
|--------------------------|---------------------|------------|-----|-------------|----------|-----------|-----|-------------|----------|-----------|----------|-------------|--|-----------|--|--------------|--|
| Platforms and dimensions | | HARD MAPLE | | RED OAK | | HICKORY | | WHITE OAK | | | | | | | | | |
| Platforms and dimensions | | Grades | | Glosses | | Grade | | Glosses | | Grade | | Glosses | | | | | |
| SOLID | 3 1/4" (3/4") | DS | M I | DS | M B I IB | AT | M I | AT | M B I IB | AT | M B I IB | | | | | | |
| | 4 1/4" (3/4") | DS | M I | DS | M B I IB | AT | M I | AT | M B I IB | | | | | | | | |
| | 3 1/4" (3/4") | DS | M I | DS | M B I IB | | | | | | | | | | | | |
| ENGINEERED | 5" (1/2") | DS | M I | DS | M B I IB | AT | M I | AT | M B I IB | AT | M B I IB | | | | | | |
| | 5" (3/4") | DS | M I | DS | M B I IB | AT | M I | AT | M B I IB | AT | M B I IB | | | | | | |
| | 6 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M B I IB | AT RQ | M B I IB | | | | | | |
| | 6 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M B I IB | AT RQ | M B I IB | | | | | | |
| | 8 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M B I IB | AT RQ | M B I IB | | | | | | |
| | 8 1/2" (3/4") | AT | M I | AT | M B I IB | AT | M I | AT | M B I IB | AT RQ | M B I IB | | | | | | |
| HERRINGBONE | 4 1/2" x 18" (1/2") | DS | M I | DS | M B I IB | | | | | DS | M B I IB | | | | | | |
| | 6 1/2" x 26" (1/2") | DS | M I | DS | M B I IB | | | | | DS | M B I IB | | | | | | |

| Elegancia COLLECTION | | SILVER GREY (SY) | | MODERN GREY (MG) | | ENGLISH TEA (ET) | | BRONZE (BZ) | | SANDSTONE (SD) | | TOBACCO (TO) | | MADERA (MD) | | CREMA (CM) | | FJORD (FO) | | FUEGO (FU) | | KONA (KN) | | SLATE (SL) | | FUEGO (FU) | | ROMA (RA) | | SEPIA (SI) | | TREMBLANT (TB) | | JASPER (JP) | | BLACK CHERRY (BY) | | SUEDE (SU) | | BROOKLINE (BE) | | PALOMINO (PO) | | FUEGO (FU) | | ENGLISH TEA (ET) | | ACORN BROWN (AB) | | MODERN GREY (MG) | | CONCRETE GREY (CG) | | VOLCANO DUST (VD) | | GRIZZLY (GS) | |
|--------------------------|---------------------|------------------|---------------|------------------|------------|------------------|------------|--------------|------------|----------------|------------|--------------|--|-------------|--|------------|--|------------|--|------------|--|-----------|--|------------|--|------------|--|-----------|--|------------|--|----------------|--|-------------|--|-------------------|--|------------|--|----------------|--|---------------|--|------------|--|------------------|--|------------------|--|------------------|--|--------------------|--|-------------------|--|--------------|--|
| Platforms and dimensions | | WHITE ASH | | WHITE OAK | | HICKORY | | YELLOW BIRCH | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Platforms and dimensions | | Grade | | Glosses | | Grades | | Glosses | | Grade | | Glosses | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SOLID | 3 1/4" (3/4") | DS | SG S M B I IB | AT | S M B I IB | AT | S M B I IB | AT | S M B I IB | DS AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 4 1/4" (3/4") | DS | SG S M B I IB | AT | S M B I IB | AT | S M B I IB | AT | S M B I IB | DS AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ENGINEERED | 5" (1/2") | | | AT | S M B I IB | AT | S M B I IB | AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 5" (3/4") | | | AT | S M B I IB | AT | S M B I IB | AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 1/2" (3/4") | | | AT RQ | S M B I IB | AT | S M B I IB | AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 1/2" (3/4") | | | AT RQ | S M B I IB | AT | S M B I IB | AT | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| HERRINGBONE | 4 1/2" x 18" (1/2") | | | DS | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 6 1/2" x 26" (1/2") | | | DS | S M B I IB | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

| Element COLLECTION | | ELEMENT (EL) | | TERRAIN (TR) | | ELEMENT (EL) | | ORAGE (OR) | | ELEMENT (EL) | | ELEMENT (EL) | |
|--------------------------|---------------------|--------------|-----|--------------|-----|--------------|-----|-----------------|-----|--------------|--|--------------|--|
| Platforms and dimensions | | HARD MAPLE | | WHITE OAK | | HICKORY | | AMERICAN WALNUT | | | | | |
| Platforms and dimensions | | Grades | | Glosses | | Grade | | Glosses | | | | | |
| SOLID | 3 1/4" (3/4") | DS | S M | AT | S M | AT | S M | | | | | | |
| | 4 1/4" (3/4") | DS | S M | AT | S M | AT | S M | | | | | | |
| ENGINEERED | 3 1/4" (3/4") | DS | S M | | | | | | | | | | |
| | 5" (1/2") | DS | S M | AT | S M | AT | S M | AT | S M | | | | |
| | 5" (3/4") | DS | S M | AT | S M | AT | S M | AT | S M | | | | |
| | 6 1/2" (3/4") | AT | S M | AT | S M | AT | S M | AT | S M | | | | |
| | 6 1/2" (3/4") | AT | S M | AT | S M | AT | S M | AT | S M | | | | |
| | 8 1/2" (3/4") | AT | S M | AT | S M | AT | S M | AT | S M | | | | |
| HERRINGBONE | 4 1/2" x 18" (1/2") | DS | S M | DS | S M | | | | | | | | |
| | 6 1/2" x 26" (1/2") | DS | S M | DS | S M | | | | | | | | |

| World Attraction COLLECTION | | TAJ MAHAL (TM) | | ALCAZAR (AZ) | | VERSAILLES (VR) | | METROPOLIS (MP) | |
|-----------------------------|---------------|----------------|-----|--------------|-----|-----------------|--|-----------------|--|
| Platforms and dimensions | | RED OAK | | HARD MAPLE | | | | | |
| Platforms and dimensions | | Grades | | Glosses | | | | | |
| SOLID | 4 1/4" (3/4") | DS | M I | DS | M I | | | | |
| | 5" (1/2") | DS | M I | DS | M I | | | | |
| | 5" (3/4") | DS | M I | DS | M I | | | | |
| ENGINEERED | 6 1/2" (3/4") | AT | M I | AT | M I | | | | |
| | 6 1/2" (3/4") | AT | M I | AT | M I | | | | |
| | 8 1/2" (3/4") | AT | M I | AT | M I | | | | |

| Herringbone COLLECTION | | Board dimensions | | RED OAK | HARD MAPLE | WHITE OAK |
|------------------------|---------------------|------------------|--|---------|------------|-----------|
| SOLID | 4 1/2" x 18" (1/2") | | | | | |
| | 6 1/2" x 26" (1/2") | | | | | |
| | | | | | | |



THE Original PREFINISHED WOOD FLOORING

Proudly made in North America

 **MERCIER**

Solid or Engineered: Take your pick!



SOLID (SOLID WOOD)



ENGINEERED (ENGINEERED WOOD)

| | SOLID (SOLID WOOD) | ENGINEERED (ENGINEERED WOOD) |
|---|--|---|
| NATURE OF MATERIAL | 100% HARDWOOD | TOP LAYER: HARDWOOD BASE: HARDWOOD PLYWOOD |
| SPECIAL FEATURES OF MATERIAL | 100% SOLID WOOD NATURAL CHARM | UNBEATABLE STABILITY SUITABLE FOR ALL SURFACES |
| TYPES OF INSTALLATIONS | NAILED AND STAPLED | NAILED, GLUED, STAPLED*, AND FLOATING |
| INSTALLATION IN THE BASEMENT OR ON CONCRETE | NOT RECOMMENDED | POSSIBLE |
| SANDING | YES: FROM 3 TO 5 TIMES | YES: FROM 3 TO 5 TIMES |
| SPECIES | HARD MAPLE HICKORY RED OAK WHITE ASH WHITE OAK YELLOW BIRCH | AMERICAN WALNUT HARD MAPLE HICKORY RED OAK WHITE OAK |
| GRADE (ACCORDING TO THE SPECIES) | SELECT & BETTER, DISTINCTION, AUTHENTIC | SELECT & BETTER, DISTINCTION, AUTHENTIC, R&Q |
| THICKNESS AND WIDTH (ACCORDING TO THE SPECIES) | 2 ¼" (57 MM) X ¾" (19 MM) 3 ¼" (83 MM) X ¾" (19 MM) 4 ¼" (108 MM) X ¾" (19 MM) | 3 ¼" (83 MM) X ½" (12.7 MM) 5" (127 MM) X ½" (12.7 MM) 5" (127 MM) X ¾" (19 MM) 6 ½" (165 MM) X ½" (12.7 MM) 6 ½" (165 MM) X ¾" (19 MM) 8 ½" (206 MM) X ¾" (19 MM) |
| LENGTH | RANDOM | RANDOM |
| HERRINGBONE AVAILABILITY | NOT AVAILABLE | 4 ½" (114 MM) X ½" (12.7 MM) LENGTH: 18" (45.7 CM) 6 ½" (165 MM) X ½" (12.7 MM) LENGTH: 26" (66 CM) HARD MAPLE RED OAK WHITE OAK |

* REFER TO TECHNICAL BULLETIN # 9

It's all about the finish.



MERCIER GENERATIONS

An ultra-durable wood floor finish, Mercier Generations is perfect for a regular everyday use. The safest, healthiest choice for you and your family. This finish is available on all floors.



GENERATIONS INTACT 2500

The ultimate in durability. Made with micro-fragmented aluminum particles, it can withstand harsher use in such environments as high-traffic spaces, or commercial applications. The hydrophobic molecules in the Generations Intact 2500 finish interlock with the wood cells for unmatched protection. This finish is available on all floors, with the exception of the Element collection.*

Generations of ingenuity and performance

| FEATURES | MERCIER GENERATIONS | GENERATIONS INTACT 2500 |
|---|--|---|
| ANTIMICROBIAL TREATMENT The antimicrobial coating applied onto the surface of our finishes helps maintain excellent hygiene by reducing the risk of spreading bacteria and mildew. Completely non-toxic, this special treatment adds an additional level of protection for hygienic and sanitary floors. | ● | ● |
| NON-YELLOWING Our non-yellowing process consists of 2 different UV screens that protect the original color of the floor from various light sources that could alter it: <ul style="list-style-type: none"> • A UV screen against yellowing of the finish when exposed to natural or artificial lighting • A UV screen to create a protective barrier that delays the yellowing of the natural wood and reduces the intensity of the color change when the latter occurs | ● | ● |
| HYPOALLERGENIC | ● | ● |
| STAIN RESISTANT | ● | ● |
| GREENGUARD CERTIFIED | ● | ● |
| DEGREE OF RESISTANCE The TABER test involves mounting a portion of a finished board onto a turntable fitted with sheets of abrasive paper. The degree of resistance is evaluated based on the number of rotations it takes to completely wear down the finish. The higher the number of cycles, the more resistant the finish. | 1,000 cycles Compared to 500 cycles from the competition | 2,500 cycles Compared to 1,500 cycles from the competition |
| DURABILITY | Scratch-resistant | Anti-scratch The top layer being packed with micro-fragmented aluminum particles, it creates a multipoint contact surface that is much more resistant to the scratches caused by the frequent traffic in highly solicited spaces. |
| FLEXIBILITY | Flexible | Highly flexible |
| ANTI-PERFORATION | Perforation-resistant | Anti-perforation |
| WARRANTY Quite simply the best warranties in the industry | 35 years for residential applications 5 years for light commercial applications | 50 years for residential applications 3 years for commercial applications with direct outdoor access 10 years for light commercial applications |

*Minimum quantities and upcharges apply. Please refer to the 2020 Mercier Price List for more details.



CERTIFIED GREENGUARD GOLD, OUR WOOD FLOOR FINISHES ARE FREE FROM ANY HARMFUL CHEMICALS AND FORMALDEHYDE. THEY EMIT NO HARMFUL VOCs AND REDUCE THE PROLIFERATION OF MOLD AND BACTERIA. WITH MERCIER, CLIENTS' WELL-BEING COMES FIRST.

Packaging features

| | | BOXES | | | | |
|-------------|-----------------|-------------------|------------|-------------|-------------|-------------|
| | Board width | Content (sq. ft.) | Width (in) | Length (in) | Height (in) | Weight (lb) |
| SOLID | 2 ¼" (¾") | 20 sq. ft. | 9 ½" | 85" | 3 ¼" | 55 to 61 lb |
| | 3 ¼" (¾") | 22 sq. ft. | 10 ½" | 87" | 3 ¼" | 55 to 75 lb |
| | 4 ¼" (¾") | 19 sq. ft. | 9 ½" | 85" | 3 ¼" | 55 to 61 lb |
| ENGINEERED | 3 ¼" (½") | 28 sq. ft. | 10 ½" | 87" | 3" | 56 lb |
| | 5" (½") | 33 sq. ft. | 10" | 86 ½" | 3" | 66 ½ lb |
| | 5" (¾") | 22 sq. ft. | 10" | 86 ½" | 3" | 66 ½ lb |
| | 6 ½" (½") | 22 sq. ft. | 7" | 85" | 3" | 38 lb |
| | 6 ½" (¾") | 14.5 sq. ft. | 7" | 85" | 3" | 40 lb |
| HERRINGBONE | 4 ½" x 18" (½") | 22,5 sq. ft. | 11" | 85" | 3" | 43 lb |
| | 6 ½" x 26" (½") | 21,125 sq. ft. | 11" | 85" | 3" | 41 lb |

| | | PALLETS | | | | | |
|-------------|-----------------|-----------------|-------------------|------------|-------------|-------------|-------------------|
| | Board width | Number of boxes | Content (sq. ft.) | Width (in) | Length (in) | Height (in) | Weight (lb) |
| SOLID | 2 ¼" (¾") | 40 | 800 sq. ft. | 38" | 85" | 36" | 2 200 to 2 500 lb |
| | 3 ¼" (¾") | 40 | 880 sq. ft. | 42" | 87" | 36" | 2 200 to 3 000 lb |
| | 4 ¼" (¾") | 40 | 460 sq. ft. | 38" | 85" | 36" | 2 200 to 2 500 lb |
| ENGINEERED | 3 ¼" (½") | 52 | 1 456 sq. ft. | 42" | 87" | 42" | 2 900 to 3 200 lb |
| | 5" (½") | 40 | 1 320 sq. ft. | 40" | 87" | 36" | 2 700 to 3 000 lb |
| | 5" (¾") | 40 | 880 sq. ft. | 40" | 87" | 36" | 2 700 to 3 000 lb |
| | 6 ½" (½") | 60 | 1 320 sq. ft. | 42" | 85" | 36" | 2 300 to 2 700 lb |
| | 6 ½" (¾") | 60 | 870 sq. ft. | 42" | 85" | 36" | 2 350 to 2 540 lb |
| HERRINGBONE | 4 ½" x 18" (½") | 52 | 1 456 sq. ft. | 40" | 73" | 37" | 1 720 lb |
| | 6 ½" x 26" (½") | 52 | 1 456 sq. ft. | 44" | 79" | 37" | 2 460 lb |

Important notice: The information contained in this document was accurate at the time of printing. Mercier Wood Flooring Inc. reserves the right to change products and product characteristics at any time without notice.

The wood colors shown in this document are for illustrative purposes only, as they could differ from their actual appearance. It is therefore important to always validate your choice with in-store samples or with a flooring box. For more information about grades, please consult the Mercier Grade Guidelines.



The original prefinished wood flooring

mercierwoodflooring.com 1.866.448.1785